


Notes:
3 year gurantee for the kayak (excluding commercial use and consumable parts),
8 year UV resistant for the kayak excluding parts;
This price for LLDPE material

Pic ref. equiped	Description	Standard equipment incl	1-10PCS	10-100PCS	Optional equipment	Optional equipment pic
	<p>Model: QSSOT27000-A Material: HDPE, LLDPE Size: 2.7(L)*0.84(W)*M (8'11"*33") G.W/N.W: 27/26kgs (59.5 /57.3 lbs) Safe Capacity: 150kgs (331 lbs) 20GP: 52pcs 40HQ:130pcs Hull thickness: 4.5-5mm UV:8 degree</p> <p>This kayak special design for renting and club use,as little accessories installed</p>	<p>4* Handles 1* Anti-theft clasp Elastic cord Drain plug</p>	\$121	\$113	<p>1* Single/twin alu. Paddle 1* Deluxe foam seat (with/without back) 1* Aluminium Chair seat 1* Life jacket (have CE certification) 1* Adjust fishing rod holder 1* Kayak sail 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 Aluminium single paddle \$9/pc  Aluminium twin paddle \$9/pc  Deluxe foam seat without back bag(brass snaps) \$14/pc
	<p>Model: QSSOT27000-B Material: HDPE, LLDPE Size: 2.7(L)*0.84(W)*M (8'11"*33") G.W/N.W: 27/26kgs (59.5 /57.3 lbs) Safe Capacity: 150kgs (331 lbs) 20GP: 52pcs 40HQ:130pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>this kayak also can install alu. Chair seat and deluxe foam seat both,you can choose as your interest</p>	<p>1* Round 8" hatch cover 1* Square hatch cover 2* Insert fishing rod holders 4* Handles Elastic cord</p>	\$138	\$121	<p>1* Single/twin alu. Paddle 1* Deluxe foam seat (with/without back) 1* Aluminium Chair seat 1* Life jacket (have CE certification) 1* Adjust fishing rod holder 1* Kayak sail 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 Common life jacket \$10/pc (for common quality)  Average life jacket \$9/pc (for common quality)  Paddle leash \$4/pc
	<p>Model: QSSOT36000-A Material: HDPE, LLDPE Size: 3.6(L)*0.91(W)*M (11'11"*35") G.W/N.W: 34/33kgs (75 /72.7 lbs) Safe Capacity: 230kgs (507 lbs) 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak special design for renting and club use,waterproof hatches more useful</p>	<p>4* Handles 2* Waterproof hatches Drian plug Elastic cord</p>	\$154	\$144	<p>2* Single/twin alu. Paddle 2* Deluxe foam seat (with/without back) 2* Life jacket (have CE certification) 2* Adjust fishing rod holder 1* Kayak sail 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 Average life jacket \$9/pc (for common quality)  Paddle leash \$4/pc
	<p>Model: QSSOT36000-B Material: HDPE, LLDPE Size: 3.6(L)*0.91(W)*M (11'11"*35") G.W/N.W: 34/33kgs (75 /72.7 lbs) Safe Capacity: 230kgs (507 lbs) 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This is classic types double/triple SOT kayak with mould-in hatch</p>	<p>2* Round 8" plastic hatch cover 4* Insert fishing rod holders 4* Handles 2* Cup seat Elastic cord Drain plug</p>	\$162	\$146	<p>2* Single/twin alu. Paddle 2* Deluxe foam seat (with/without back) 2* Life jacket (have CE certification) 2* Adjust fishing rod holder 1* Kayak sail 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 Paddle leash \$4/pc  SOT trolley \$12/pc
	<p>Model: QSSOT39000-A Material: LLDPE, HDPE Size: 3.9(L)*0.88(W)*M (12'11"*35") G.W/N.W: 35/34kgs (77 /75 lbs) Safe Capacity: 250kgs (551 lbs) 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak special design for renting and club use,as little accessories installed</p>	<p>4* Handles 1* Anti-theft clasp Elastic cord Drain plug</p>	\$162	\$146	<p>2* Single/twin alu. Paddle 2* Deluxe foam seat (with/without back) 2* Aluminium Chair seat 2* Life jacket (have CE certification) 2* Adjust fishing rod holder 1* Kayak sail 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 SOT trolley \$21/pc  SIT trolley \$21/pc
	<p>Model: QSSOT39000-B Material: LLDPE, HDPE Size: 3.9(L)*0.88(W)*M (12'11"*35") G.W/N.W: 35/34kgs (77 /75 lbs) Safe Capacity: 250kgs (551 lbs) 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>this kayak also can install alu. Chair seat and deluxe foam seat both,you can choose as your interest</p>	<p>2* Round 8" plastic hatch cover 4* Insert fishing rod holders 4* Handles Elastic cord Drain plug</p>	\$176	\$162	<p>2* Single/twin alu. Paddle 2* Deluxe foam seat (with/without back) 2* Aluminium Chair seat 2* Life jacket (have CE certification) 2* Adjust fishing rod holder 1* Kayak sail 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Anchor (with 10M rope) 1* Roof rack 1* SOT trolley</p>	 SOT trolley \$21/pc  SIT trolley \$21/pc

Pic ref. equiped	Description	Standard equipment incl	1-10PCS	10-100PCS	Optional equipment	Optional equipment pic
	<p>Model: QSSIT30000 Material: LLDPE, HDPE Size: 3.08(L)*0.75(W)M (10'*30") G.W/N.W: 23/22kgs (50.7 / 48.5 lbs) Safe Capacity: 150kgs (331 lbs) 20GP: 48pcs 40HQ:130pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak can install deluxe foam seat and aluminium chair seat,also can be used without any seat</p>	<p>1* Round 6" plastic hatch cover 1* Oval rubber hatch cover 2* Handles 2* Insert fishing rod holders 2* EVA foam 1* Anti-theft clasp 1* Fixed foot pedal Elastic cord Drain plug</p>	\$141	\$125	<p>1* Single/twin alu. Paddle 1* Deluxe foam seat (with/without back) 1* Aluminium Chair seat 1* Life jacket (have CE certification) 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	 <p>Helmet \$12/pc</p>  <p>Anchor (with 10M rope) \$9/pc</p>  <p>Aluminium roof rack \$32/pc</p>  <p>Soft roof rack \$21/pc</p>
	<p>Model: QSSIT40000-A Material: LLDPE, HDPE Size: 4.0(L)*0.82(W)M (13'*32") G.W/N.W: 37/36kgs (81 / 79 lbs) Safe Capacity: 280kgs (617 lbs) Cockpit inside size: 82(L)*46(W) cm 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This is common double fat kayak,which can take 2 adults and 1 child</p>	<p>1* Round 6" hatch 2* Plastic seat & back rest 2* Fixed foot pedals 2* Handles Elastic cord</p>	\$265	\$250	<p>2* Single/twin alu. Paddle 2* Life jacket (have CE certification) 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	 <p>Aluminium roof rack \$32/pc</p>  <p>Soft roof rack \$21/pc</p>
	<p>Model: QSSIT40000-B Material: LLDPE, HDPE Size: 4.0(L)*0.82(W)M (13'*32") G.W/N.W: 37/36kgs (77 / 75 lbs) Safe Capacity: 280kgs (617 lbs) Cockpit inside size: 82(L)*46(W) cm 20GP: 24pcs 40HQ:75pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak most like touring kayak,but the bottom is more fat,so it is more steady</p>	<p>1* Round 6" rubber hatch cover 2* Plastic seat & back rest 2* Foot pedals 2* Handles 2* Fixed foot pedals Elastic cord Drain plug</p>	\$287	\$276	<p>2* Single/twin alu. Paddle 2* Life jacket (have CE certification) 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley 2* Spray deck 2* Cockpit cover</p>	 <p>Aluminium roof rack \$32/pc</p>  <p>Soft roof rack \$21/pc</p>
	<p>Model: QSSIT41000 Material: LLDPE, HDPE, 3-layer Size: 4.1(L)*0.55(W)M (13'7"*22") G.W/N.W: 23/22kgs (50.7 /48.5 lbs) Safe Capacity: 120kgs (265 lbs) Cockpit inside size: 72(L)*38(W) cm 20GP: 30pcs 40HQ:100pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>If you want test the speed,you can choose this one,but which only fit for less than 65kgs people</p>	<p>1* Round rubber hatch cover 1* Oval rubber hatch cover 1* Plastic seat & back rest 1* Rudder system 1* Pedal system 2* Insert fishing rod holders 2* Plastic handles 1* Anti-theft clasp Elastic cord Drain plug</p>	\$226	\$202	<p>1* single/twin alu. Paddle 1* Life jacket (have CE certification) 1* Spray deck (neoprene) 1* Cockpit cover (neoprene) 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	 <p>Neoprene spray deck \$19/pc</p>  <p>Neoprene cockpit cover \$16/pc</p>
	<p>Model: QSSIT50000 Material: LLDPE, HDPE, 3-layer Size: 5.0(L)*0.6(W)M (16'7"*23.6") G.W/N.W: 31/30kgs (68 /66 lbs) Safe Capacity: 180kgs (397 lbs) Cockpit inside size: 84(L)*46(W) cm 20GP: 30pcs 40HQ:100pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak as common type,and more steady, which fit for new learner use</p>	<p>2* Round 6" rubber hatch cover 2* Oval rubber hatch cover 1* Plastic seat & back rest 1* Rudder system 1* Foot pedal system 2* Plastic handles 1* Anti-theft clasp Elastic cord Drain plug</p>	\$226	\$213	<p>1* single/twin alu. Paddle 1* Life jacket (have CE certification) 1* Spray deck (neoprene) 1* Cockpit cover (neoprene) 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	 <p>Neoprene cockpit cover \$16/pc</p>
	<p>Model: QSSIT51000 Material: LLDPE, HDPE, 3-layer Size: 5.08(L)*0.52(W)M (16'11"*20") G.W/N.W: 30/29kgs (66 /64 lbs) Safe Capacity: 150kgs (331 lbs) Cockpit inside size: 77(L)*40(W) cm 20GP: 30pcs 40HQ:100pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak without rudder system,but install tail fin system,which will more useful</p>	<p>1* Round 6" rubber hatch cover 2* Round 10" rubber hatch cover 1* Round 4" rubber hatch cover 1* Plastic seat & back rest 1* Tail fin system 1* Foot pedal system 2* Plastic handles Elastic cord Drain plug</p>	\$265	\$250	<p>1* single/twin alu. Paddle 1* Life jacket (have CE certification) 1* Spray deck (neoprene) 1* Cockpit cover (neoprene) 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	
	<p>Model: QSSIT54000 Material: LLDPE, HDPE, 3-layer Size: 5.4(L)*0.55(W)M (17'12"*22") G.W/N.W: 32/31kgs (70 /68 lbs) Safe Capacity: 180kgs (397 lbs) Cockpit inside size: 82(L)*44(W) cm 20GP: 30pcs 40HQ:100pcs Hull thickness: 4.5-5mm UV: 8 degree</p> <p>This kayak without rudder system,but install tail fin system,which will more useful</p>	<p>1* Round 6" rubber hatch cover 2* Round 10" rubber hatch cover 1* Round 4" rubber hatch cover 1* Plastic seat & back rest 1* Tail fin system 1* Foot pedal system 2* Plastic handles Elastic cord Drain plug</p>	\$279	\$265	<p>1* single/twin alu. Paddle 1* Life jacket (have CE certification) 1* Spray deck (neoprene) 1* Cockpit cover (neoprene) 1* Paddle leash 1* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley</p>	

Pic ref. equiped	Description	Standard equipment incl	1-10PCS	10-100PCS	Optional equipment	Optional equipment pic
	<p> Model: QSSIT52000 Material: LLDPE, HDPE, 3-layer Size: 5.2(L)*0.67(W)*M (17'*26") G.W/N.W: 36/35kgs (79 /77 lbs) Safe Capacity: 240kgs (529 lbs) Cockpit inside size: 86(L)*46(W) cm 20GP: 30pcs 40HQ:95pcs Hull thickness: 4.5-5mm UV: 8 degree </p> <p style="background-color: yellow;"> 2 person SIT kayak,as make sure have enough leg place,we use round hatch,and 2 small round hatch also waterproof types </p>	<p> 2* Round 6" plastic hatch cover 1* Round 8" rubber hatch cover 1* Oval rubber hatch cover 2* Plastic seat & back rest 1* Rudder system 2* Foot pedal system 2* Plastic handles Elastic cord Drain plug </p>	\$284	\$272	<p> 2* single/twin alu. Paddle 2* Life jacket (have CE certification) 2* Spray deck (neoprene) 2* Cockpit cover (neoprene) 2* Paddle leash 2* Kayak helmet (have CE certification) 1* Roof rack 1* SIT trolley </p>	

Remark: All price is based on **Exw Ningbo**